

ZADE HUB OPTICAL SUPPLIES

Suppliers of all optical equipments

Company Profile

ZADE HUB OPTICAL SUPPLIES

About Us.

ZADE HUB OPTICAL SUPPLIES is a company supplying a wide range of optical equipments used in optical clinics, optical laboratories and research facilities throughout the country.

Our Mission.

is to provide state - of - the - art optical equipments that focus on enhancing the performance of optical hospitals and clinics through delivering our services at their door step countrywide

Our Vision .

A premier provider of the highest quality, state-of-the-art optical instruments
Loved by our customers and respected for our commitment to their success

Our Core Values .

Customers:
put them first in all our daily activities - they are paramount



Integrity:
Being open, honest and candid in communications and interactions with our customers

Responsibility
through customer satisfaction and safety for all through risk identification and control.

Accountability:
Hold our selves and each other responsible to deliver on our commitments to customers.

Our Experience.

Our team are all highly trained and experienced when it comes to working with optics. We take pride in our work and set ourselves the highest standards.


ZADE HUB OPTICAL SUPPLIES

Our offering.



Partnership with our customers

We work with customers to find solutions to their optical supply needs. Through partnership with our customers we help address challenges through research and development, finding solutions through our knowledge and experience.



Small batches through to large volume OEM

We are capable of providing both small and large volume orders. Our range of equipment and materials, as well as the experience of our team means we are able to deal with orders for small and large quantities without having to apply minimum order quantities.

UGX
£€$

Competitive and fair pricing

Our prices reflect the work we do and aim to be as competitive as possible. We work with customers to find efficient solutions for their budget and we never oversell an optic when a cheaper option provides the same solution.







Our Expertise.

We offer an extensive range of catalogue and custom optics. Our stock management system allows us to check item availability with regards to a wide range of parameter, allowing us to very quickly find a suitable stock component wherever possible.

Our Products

Our Products -Bags, Cases, Microfiber cloth.













Our Products -Hard cases and bags.









Our Products -Contact lenses.



Our Products -Microfiber cloths.




(80% polyester + 20% polyamide) 针一
Weight (g/sqm): 180g / 200g / 230g / 250g




(90% polyester + 10% polyamide) 针二
Weight (g/sqm): 180g / 200g / 230g / 250g



(100% polyester one side brushed) 针三单磨
Weight (g/sqm): 150g



(100% polyester emboss) 针三压花
Weight (g/sqm): 100g



(80% polyester + 20% polyamide clouds) 针一祥云
Weight (g/sqm): 220g



(chamois) 鹿皮绒
Weight (g/sqm): 230g



(70% polyester + 30% polyamide) 日本料
Weight (g/sqm): 180g



(suede) 超声波双面绒
Weight (g/sqm): 200g

Our Products -Lens cleaning solutions

PP bottle

Bottle and Cap color can be customized



LC010
10ml



LC308
10ml



LC301
10ml



LC303
10ml



LC021
20ml



LC302
30ml



LC304
30ml
silicone outside



LC305
30ml



LC306
30ml



LC307
15/30/50ml
Vacuum bottle

PE bottle

Bottle and Cap color can be customized



LC025
30ml



LC013
50ml



LC014
60ml



LC015
50ml

Shape can be customized
Size can be customized
Color can be customized

Antifog spray

Bottle and Cap color can be customized



LC503
ANTI FOG
30ml



LC504
ANTI FOG
60ml



LC024
ANTI FOG
5g




LC501
ANTI FOG
5g



LC502
ANTI FOG
10g

Our Products -Customizable Glass wipes



-Auto lens edgers









SPECIFICATIONS

LENS DIAMETER: 18-80 (mm)
POWER OF CLAMPING LENS: 0.45-1.10mpa(three choices)
POWER CONSUMPTION: <=396w
WORKING ENVIRONMENT TEMPERATURE: 5 degrees – 4 degrees
DIMENSION: 61*41*47(cm)
OPTIONAL DIAMETER OF THE GRINDING WHEEL: 100mm
WEIGHT: 59kgs
POWER AND FREQUENCY: AC,220V(110V)/50HZ(60HZ)

Our Products -Phoroptyer and lamp stand










SPECIFICATIONS

Phoropter manual-KF-Z3000 Manual Phoropter Model: KF-Z3000- FOREHEAD REST ADJUSTMENTS: 16m backward and forward CONVERGENCE: The optical axes of the lenses are aligned at a distance of 400mm from the vertexes of the corneas (2mm each for right and left inward) Interpupillary distance enabling convergence = 57mm to 80mm. CORNEAL DISTANCE DEVICE: 2mm forward and 5mm backward from standard plane with scale EFFECTIVE FIELD OF VIEW: 19mm WEIGHT: 5kg SIZE: 291-323*315*8

Our Products -Refraction chair.



Keratometer & UV Lensometro Digital Auto Lensometer









SPECIFICATIONS

Color Code: White
Product TypeCryo Ophthalmic Machine
Supply Ability 200 Per Day
WORKING SPEED OF THE GRINDING WHEEL: 16.7m/s
SYSTEM: Circular of direct water supply(Optional

Our Products - Opthalmoscopes









SPECIFICATIONS

Veterinary VarioScope
L28 Ophthalmoscope
E Lithium Desk Handle
Twin port charger
Set of 3 plastic tips
Zip Case

Keratometer & UV Lensometro Digital Auto Lensometer









SPECIFICATIONS

Microscope Type: Galilean stereoscopic microscope
Magnification selection: 5 steps / 3 steps rotational magnichanger Eyepiece: 12.5X
Magnification Ratio: 5 Step (6X, 10X, 16X, 25X, 40X), 3 Step (10X, 16X, 25X
Pupillary Adjustment:50mm-82mm
Diopter Adjustment: + – 7D

Our Products - Retinal Cameras/tonometer/Ultrasonic









SPECIFICATIONS

SK-650 Retinal Camera

(800) 262-8761, coburn-technologies.com

SPECIFICATIONS

Tonometer HNT-1/1P
measures customized intraocular pressure with smart function auto-adjustable puffing intensity

SPECIFICATIONS

Ultrasonic

Frequency: 10MHz
Accuracy: 50.05mm
Depth: 240mm

Our products -Corneal Keratometer & topographer/tonometer









SPECIFICATIONS

Frequency: 10MHz,Magnetic driven, noiseless
Scanning Mode: Sector Scanning
Magnify: Multi continuous magnification, Real-Time magnification
Resolution: Lateral ≤0.3mm；Vertical≤0.2mm

SPECIFICATIONS

Measuring Mode: Placido Cone
Coverage range of measurement 10.91mm (Diameter)
range of Curvature radius: 5.5mm-10.0mm(33.75D-61.36D)
Precision: ±0.02mm
Placido Rings: 31 Rings

SPECIFICATIONS

Measuring range: 6.5mm～9.5mm
Precision: ±0.05mm
Resolution of curvature radius of cornea: 0.01mm
singel measuring time: 0.03s

Lens groover/Hand lensmeter/Drilling apparatus







SPECIFICATIONS

Hand lensmeter
The prism axis range:1--180o
Prism grid value:1o
Measuring the maximum diameter of the lens:20mm-85mm
exchange:220V / 110V - 6V, DC:3V

SPECIFICATIONS

Lens groover

Handling:	Portable
Power:	500 W
Voltage:	220 V
Weight:	3 Kg

SPECIFICATIONS

Drilling apparatus
Electric Voltage: 220V/50Hz or 110V/60Hz
Power:25W
Weight:3.5kg
Volume: 25.5(L)x23(w)x35(H)cm

Our Products - Hand edger / multifunction polisher









SPECIFICATIONS

Product size	280x170x235 mmm
Packaging Dimension	350x230
GW	4.1Kg
Packaging Quantity	
Volume:	25.5(L)x23(w)x35(H)cm

SPECIFICATIONS

Packaging Dimension	240x270x240mm
GW	7.6Kg
Packaging Requirement	110v/220v 50Hz

Our Products - Pattern drilling machine/PH & PD Meter





SPECIFICATIONS

Pattern drilling machine

Dimension:	220x150x340mm
Weight:	3kg
Power requirement:	110v/220v/60Hz

Our Products - UV 400 Tester/Frame Heater









SPECIFICATIONS

UV400 Tester

Weight:	0.73kg
Size :	26x14x11cm
Packaging capacity:	4.1Kg

SPECIFICATIONS

Frame Heater

Dimension:	200x150x270mm
Weight:	1Kg
Power Requirement:	110v/220v/60Hz

Photochromic tester/UV+420 Cut Demonstration tool





SPECIFICATIONS

Photochromic Lens Tester

Dimension:	220x110x115mm
Weight:	0.3kg
Power requirement:	110v/220v/60Hz

SPECIFICATIONS

UV+420 Cut Demonstration Tool

AC Adapter of DC 12V

LCD Visual Screen & software / Ectrick work table









SPECIFICATIONS

LCD Visual screen

Weight:	5kg
Input Power parameter:	AC100V-240V
Screen type:	LCD

SPECIFICATIONS

Ectrick Work Table

Dimension:	830x530x265mm
Weight:	19Kg
Power Requirement:	110v/220v/60Hz

Our Products - Digital Drilling Machine & PD Ruler & PD Meter







SPECIFICATIONS

Photochromic Lens Tester

Dimension:	220x110x115mm
Weight:	0.3kg
Power requirement:	110v/220v/60Hz

SPECIFICATIONS

Photochromic Lens Tester

Dimension:	220x110x115mm
Weight:	0.3kg
Power requirement:	110v/220v/60Hz

Horizontal line maker/Temple Leg Adjuster/Dying machine







SPECIFICATIONS

Dying Machine

SIZE (L*W*H):	390*300*190mm
TEMPERATURE:	0 degrees – 100 degrees
CUP VOLUME:	700ml

SPECIFICATIONS

Horizontal line maker


Main hole scale:	10/22.5/15/20/22.5/25mm
Secondary hole scale:	17. 5mm
Cylinder scale:	0.48mm


SPECIFICATIONS


Temple Leg Adjuster


Material :	ABS plastic with a copper block
Size :	65 x 50 x 17mm

Our Products - Frame Measuring Instrument/Visual chat









SPECIFICATIONS

Visual Chat

LED MULTIFUNCTIONAL LED: 920mmx450mmx25mm
POWER REQUIREMENT: 220V+/- 22V, 50HZ+/- 1HZ
LED RATING LIFE: 5000H

SPECIFICATIONS

Frame Measuring Instrument

Size:	21cm*10cm/8.27*3.94in
Weight:	about 340g
Material:	ABS material

Our Products - Ultrasonic Cleaner/Trial lens sets







SPECIFICATIONS

Optical Trial Lens Set Kit

Measuring range: SPH: 0.12-20.00DS
Product net weight: 2.7kg
Optometry box size: 40x30x10cm|15.7x11.8x3.9 in

SPECIFICATIONS

New Digital Ultrasonic Cleaner

Tank Size: 6.0" x 3.75" x 2" (L x W x H)
Overall Size: 7.5" x 5.5" x 5" (L x W x H)
Capacity: 0.6 Liters / 600mL

SPECIFICATIONS

Metal Ultrasonic Cleaning Machine

Capacity: 30.4 fl oz (900 ml).
Power: 100 W
Water Lack Alarm: No


Our Products-Lens clock/vernier caliper











SPECIFICATIONS

Lens clock

Size:	175x110x35mm
Weight:	574g
Accuracy:	0.01


SPECIFICATIONS


Vernier caliper

Size:	254x110x35mm
Weight:	386g
Measuring scope:	0.150

Our Products - Grinding wheel/Pd Ruler







SPECIFICATIONS

Grinding wheel

Product Dimensions :	2.54 x 2.54 x 0.61 cm
Weight:	9.07 g
Manufacturer :	Deltana

SPECIFICATIONS

PD Ruler

Package Dimensions :	22 x 6 x 1 cm
Manufacturer :	Rongm

Our Products - Suction cups





SPECIFICATIONS

Suction pads

Size:	24x4x1.5mm

SPECIFICATIONS

Essilor Mr. Blue

Single package size:	3X3X3 cm
Single gross weight:	0.010 kg

Our Products - Blocking pads





SPECIFICATIONS

Blocking pads

Item Weight	0.035 ounces

Our Products - Piers and plier racks.









Our Products -Optical taps and screw drivers.



QS003 PLASTICS



QS004 PLASTICS



QS006 PLASTICS



QS006-1 PLASTICS



QS016 STAINLESS STEEL



QS018 STAINLESS STEEL



QS019 STAINLESS STEEL



QS020 ALUMINUM



QS021 COPPER

1.5/1.8



QS029 COPPER



QS031 COPPER



QS036 ALUMINUM



QS039 ALUMINUM



QS040 ALUMINUM



QS041 ALUMINUM



QS042 ALUMINUM



QS043 PLASTICS



QS044 ALUMINUM



QS045 ALUMINUM



QS046 ALUMINUM




QS047 ALUMINUM



QS048 COPPER

Our Products -Optical taps and hand files.



Our Products-Lens tinting.










Our Products - Turnover case



SPECIFICATIONS

Turnover case

size: 244mm, 270mm, 245mm

color: blue, green, yellow, white,rose red

Our Products - Tensile pens



OA016
小号蓝光笔 small blue light pen



OA083
小号蓝光笔 small blue light pen



OA084
小号蓝光笔 small blue light pen



OA017-B
测变色手电筒 photochronic lens torch tester



OA017
蓝光笔满天星光效 blue light pen with star light



OA017-A
蓝光笔单束光 blue light pen with single beam



OA029
金属拉笔灯 metal pull-pen light



OA024-B
普通笔灯 ordinary pen light



OA023
金属拉笔 metal pull-pen



OA025-A
塑料笔灯 plastic pen light



















Our Products-Pliers.





对口螺丝
Butt Screw
L
H
M
P

Our Products -Nose pads.








Dispensing Screw









Our Products - Sets



Our Products-Temple tips





OE005



OE006

OE011














Our Products-Temple tips.



Our Products -Chains and chords.



Our Products - Glass racks.



FEATURES **FDJ542**

Quantity (T × P) 21×4



FEATURES **FDJ564**

Quantity (T × P) 25×4



FEATURES **FDJ581-1**

Quantity (T × P) 20×4



FEATURES **FDJ993**

Quantity (T × P) 20×4



FEATURES **FDJ925**

Quantity (T × P) 19×8



FEATURES **FDJ272**

Quantity (T × P) 18×4



FEATURES **FDJ276**

Quantity (T × P) 21×4



FEATURES **FDJ277**

Quantity (T × P) 22×4



FEATURES **FDJ955**

Quantity (T × P) 16×3



FEATURES **FDJ954-1**

Quantity (T × P) 16×2



FEATURES **FDJ274**

Quantity (T × P) 16×4



Our Products-Suitecases.



FEATURES **FDTS-3006**

Quantity (T × P) 3×4



FEATURES **FDTS-3011**

Quantity (T × P) 2×6



FEATURES **FDTS-3015**

Quantity (T × P) 3×6



FEATURES **FDTS-3016**

Quantity (T × P) 3×6



FEATURES **FDTS-3024**

Quantity (T × P) 3×5



FEATURES **FDTS-3026**

Quantity (T × P) 2×8



FEATURES **FDTS-3029**

Quantity (T × P) 2×16



FEATURES **FDTS-3029T**

Quantity (T × P) 2×16



FEATURES **FDTS-3037**

Quantity (T × P) 1×6



FEATURES **FDTS-8**

Quantity (T × P) 1×8



FEATURES **FDTS-15**

Quantity (T × P) 3×5



FEATURES **FDTS-2030-12**

Quantity (T × P) 3×4

Our Products -Mirrors.

Metal



FEATURES FDRM003
Size(L×W×H) 200×200×380mm



FEATURES FDRM004
Size(L×W×H) 200×200×365mm



FEATURES FDRM005
Size(L×W×H) 200×250×370mm

镜面尺寸/Size:7寸
放大倍数/Magnification:2倍/3倍/5倍



FEATURES FDRM030
Size(L×W×H) 182×82×208mm



FEATURES FDRM031
Size(L×W×H) 162×192×320mm



FEATURES FDRM032
Size(L×W×H) 80×60×145mm

镜面尺寸/Size:7寸
放大倍数/Magnification:2倍/3倍/5倍



FEATURES FDRM033
Size(L×W) 20×235mm

镜面尺寸/Size:7寸/8寸
放大倍数/Magnification:2倍/3倍/5倍



FEATURES FDRM034
Size(L×W×H) 189×120×200mm

镜面尺寸/Size:5寸
放大倍数/Magnification:3倍/5倍/7倍/10倍



FEATURES FDRM035
Size(L×W) 175×224mm

镜面尺寸/Size:6寸
放大倍数/Magnification:2倍



FEATURES FDRM036
Size(L×W) 160×320mm

镜面尺寸/Size:5寸
放大倍数/Magnification:3倍



FEATURES FDRM037
Size(L×W) 170×330mm



FEATURES FDRM038
Size(L×W×H) 235×135×390mm



FEATURES FDRM007
Size(L×W×H) 195×240×325mm



FEATURES FDRM039
Size(L×W×H) 195×90×272mm



FEATURES FDRM040
Size(L×W×H) 180×132×328mm



FEATURES FDRM041
Size(L×W×H) 230×165×395mm

Our Products -Gifts.

















Our Products - Cases and bags.













ZADE HUB OPTICAL SUPPLIES



Nkurumah Road
Light Arcade
(opp. Cham Towers)
4th Floor H09
0705 984 200 / 0773 758 673
zadehubopticals@gmail.com